

Approved treatment methods:

1. Methyl bromide fumigation at a rate of 48 g/m³ for 24 hours at 21 °C and above at normal atmospheric pressure (NAP).
2. Methyl bromide fumigation at a rate of 64 g/m³ for 4 hours at 21 °C and above with a minimum concentration of 32 g/m³ under vacuum (660 mm vacuum).
3. Sulphuryl fluoride fumigation at a rate of 64 g/m³ (4 lbs/1000 cu ft) for 16 hours at 21 °C (70 °F).
4. Sulphuryl fluoride fumigation at a rate of 64 g/m³ (4 lbs/1000 cu ft) for 24 hours at 15.5 °C or above.
5. Heat treatment at a minimum temperature of 56 °C for 30 minutes, measured at the core of the goods.
6. Kiln dried at a rate of 74 °C for variable times depending on the thickness of the goods.
7. Gamma irradiation at a rate of 10 kGray (1.0 Mrad).
8. Ethylene oxide fumigation under initial minimum vacuum of 50 kilopascals at a rate of 1200 g/m³ for 5 hours at 50 °C.
9. Ethylene oxide fumigation under initial minimum vacuum of 50 kilopascals at a rate of 1500 g/m³ for 24 hours at 21 °C.

*Plastic Declaration -
Goods net wrapped in plastic
prior to treatment.*